

Al Rajhi - Project Wick (B... / Customer Pod /

Customer IAM

 1 Jira link    |  Share ...

Logout Flow

Created by Sumit K Tiwari

Dec 21, 2021 • 2 min read •  13 people viewed

Logout flow of PingOne will be used to clear any active session of the user. This flow will terminate the sessions programatically.

 Read All Active Session for the user Delete the session using Session ID

▼ Read All Sessions for the user

Request

GET

```
1 {{apiPath}}/environments/{{envID}}/users/d80a3741-365a-4bd5-a220-b3
```

Variable	Value	Location
apiPath	https://api.pingone.asia/v1	URL
envID	32282aad-a4f2-46ae-a82d-9dd91739a966	URL
userID	Fetch from the id token in state D80A3741-365A-4BD5-A220-B328...	URL
Authorization	Bearer ACCESS TOKEN FOR ADMIN APP	Header

-  This returns a JSON response with all active sessions in **res._embedd.sessions array**

Response

```
1  {
2    "_links": {
3      "self": {
4        "href": "https://api.pingone.asia/v1/environments/3228
5      }
6    },
7    "_embedded": {
8      "sessions": [
9        {
10          "_links": {
11            "self": {
12              "href": "https://api.pingone.asia/v1/envir
13            },
14            "environment": {
15              "href": "https://api.pingone.asia/v1/envir
16            },
17            "user": {
18              "href": "https://api.pingone.asia/v1/envir
19            }
20          },
21          "id": "1f2940eb-0635-41fc-8fa5-3bc55343b287",
22          "environment": {
23            "id": "32282aad-a4f2-46ae-a82d-9dd91739a966"
24          },
25          "user": {
26            "id": "d80a3741-365a-4bd5-a220-b328dec58aaf"
27          },
28          "createdAt": "2021-12-15T08:38:03.229Z",
29          "activeAt": "2021-12-21T09:45:00.375Z",
30          "browser": {
31            "name": "Other"
32          },
33          "operatingSystem": {
34            "name": "Other"
35          },
36          "device": {
37            "type": "Other"
```

```
38      },
39      "locations": [
40          {
41              "at": "2021-12-15T08:38:52.329Z",
42              "remoteIp": "49.204.181.198",
43              "city": "langar houz",
44              "state": "telangana",
45              "region": "",
46              "country": "india"
47          },
48          {
49              "at": "2021-12-15T09:15:37.790Z",
50              "remoteIp": "49.204.181.198",
51              "city": "langar houz",
52              "state": "telangana",
53              "region": "",
54              "country": "india"
55          },
56          {
57              "at": "2021-12-15T11:22:50.992Z",
58              "remoteIp": "49.204.181.198",
59              "city": "langar houz",
60              "state": "telangana",
61              "region": "",
62              "country": "india"
63          },
64          {
65              "at": "2021-12-21T08:56:49.717Z",
66              "remoteIp": "49.207.219.226",
67              "city": "cv raman nagar",
68              "state": "karnataka",
69              "region": "",
70              "country": "india"
71          },
72          {
73              "at": "2021-12-21T09:45:00.375Z",
74              "remoteIp": "49.207.219.226",
75              "city": "cv raman nagar",
76              "state": "karnataka",
77              "region": "",
78              "country": "india"
79          }
80      ],
```

```
81         "lastSignOn": {
82             "remoteIp": "49.207.219.226",
83             "at": "2021-12-21T09:45:00.375Z"
84         }
85     },
86 },
87     "count": 2,
88     "size": 2
89 }
```

 Please capture the **id** from the sessions array 1f2940eb-0635-41fc-8fa5-3bc55343b287

▼ Delete Session for the user using Session ID

Request

DELETE

```
1  {{apiPath}}/environments/{{envID}}/users/d80a3741-365a-4bd5-a220-b328...
```

Variable	Value	Location
apiPath	https://api.pingone.asia/v1	URL
envID	32282aad-a4f2-46ae-a82d-9dd91739a966	URL
userID	Fetch from the id token in state D80A3741-365A-4BD5-A220-B328...	URL
Authorization	Bearer ACCESS TOKEN FOR ADMIN APP	Header
sessionID	1f2940eb-0635-41fc-8fa5-3bc55343b287	URL

 1f2940eb-0635-41fc-8fa5-3bc55343b287 was used from response from

previous flow **res._embedd.sessions array**

Response

1 []

 Response is 204 No Content

 **ALTERNATIVE** Use SignOff endpoint which returns HTML response and logs out the user from PingOne

▼ Logout user using SignOff Endpoint of OIDC

Request

GET

1 {{authPath}}/{{envID}}/as/signoff?id_token_hint=eyJhbGciOiJSUzI1Ni1



Variable	Value	Location
apiPath	https://api.pingone.asia/v1	URL
envID	32282aad-a4f2-46ae-a82d-9dd91739a966	URL
id_token_hint	Fetch the id token in state EYJHBGCI0IJSUZI1NIISIMTPZCI6IM...	QUERY STRIN



Response

1 []

 Response is 200 with HTML confirmation page.

 Be the first to add a reaction

No labels 

